Dart Aerospace Ltd. Tuesday, 10/24/2006 11:03:29 AM Date: Kim Johnston User: **Process Sheet** : LITTER TIE DOWN ASS'Y (LOCKING) Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 29136 : 10495 **Estimate Number** : D2360 AIW: Part Number P.O. Number S.O. No. : NA : 10/24/2006 **Drawing Number** : D2360 / D2341 This Issue **Project Number** : N/A Prsht Rev. : NC : NIA : MACHINED PARTS : C1/E First Issue Type **Drawing Revision** : 1/14 : 26489 Material **Previous Run** Due Date : 11/5/2006 Qtv: Each Written By Checked & Approved By Comment **Additional Product** Job Number: Seq. #: Description: Machine Or Operation: T Extrusion 4X4X3/8 D6201 1.0 1.1067 f(s)/Unit Total: 4.4268 f(s) Comment: Qty.: Material: D6201 (6061-T6 (QQ-A-200/8) 4" x 4" x 3/8" Thick 'T' extrusion) Batch: 626538 BAND SAW BAND SAW 2.0 Comment: BAND SAW Cut blanks: 12.65" Long 3.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 Machine as per Folio D2341 and Dwg D2341 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 5.0 QC8 Comment: SECOND CHECK 4 HAAS CNC VERTICAL MACHINING #1 6.0 HAAS1

and J.F. 06/10

Comment: HAAS CNC VERTICAL MACHINING #1

Deburr and Tumble

rospace	Lia								
W/O: WORK ORDER CHANGES									
STEP	•	PRO	CEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	375							``	
								,	
			¥.	·		-			
:	Р	AR #:	Fault Category:		NCR: Yes	No DQ	A:	_ Date: _	
		24		ž.	QA:	N/C Close	d:	Date:	
	STEP	STEP	STEP PRO	STEP PROCEDURE CHANGE	STEP PROCEDURE CHANGE	STEP PROCEDURE CHANGE By :PAR #: Fault Category: NCR: Yes	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date :PAR #: Fault Category: NCR: Yes No DQ	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty : PAR #: Fault Category: NCR: Yes No DQA:	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B	Verification	Approval	Approval				
DATE	STEP	Section A	Initial Action Description Sign & Date		Section C	Approval Chief Eng	al Approval g QC Inspector				
4											
		,									
				7							
			·								
											
								\$ '.			
] 				

Date: Tuesday, 10/24/2006 11:03:29 AM User: Kim Johnston **Process Sheet** Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) Customer: CU-DAR001 Dart Helicopters Services Part Number: D2360 Job Number: 29136 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 7.0 Comment: INSPECT WORK TO CURRENT STEP 10128 HAND FINISHING1 HAND FINISHING RESOURCE #1 8.0 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 9.0 POWDER COATING POWDER COATING Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 10.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 11.0 D2002015 Comment: Qty.: Total: 8.0000 Each(s) Knob D2345 12.0 Lock Channel 4.0000 Each(s) Comment: Qty.: 1.0000 Each(s)/Unit Total: B29144(X Lock Channel 13.0 D2366 Comment: Qty.: 2.0000 Each(s)/Unit Total: 8.0000 Each(s) Inventory 14.0 D2367 Handle Knob Comment: Qty.: 4.0000 Each(s) Total: 226592 B29146 (x) 24 Inventory

Dart Ae	rospace L	.td								
W/O:			WC	RK ORDER CHA	NGES					
DATE STEP		PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approvai QC Inspector
								1.0		
			·							
Part No	:	PAR #:	Fault Cate	jory:	NCR:	Yes N	10 DQ	A :	_ Date: _	
						QA; N/	C Close	d:	_ Date: _	
NCR:	1:0	1	WORK ORDI	ER NON-CONFOR	RMANCE	(NCR))			
		Description of NC		Corrective Action	Section B		Verific	cation	Approval	Approval QC Inspector
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti		Chief Eng	
			*							
					-:				→	
			:							*

Tuesday, 10/24/2006 11:03:29 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) Customer: CU-DAR001 Dart Helicopters Services Job Number: 29136 Part Number: D2360 Job Number: Seq. #: Description: Machine Or Operation: Quick Release 15.0 D2372 Total: 8.0000 Each(s) Comment: Qty.: 2.0000 Each(s)/Unit Quick Release D2373 Comment: Qty... 4.0000 Each(s) Total: 326458 Spring D2444 Pip Pin Assembly 17.0 Total: 4.0000 Each(s) Comment: Qtv.: 1.0000 Each(s)/Unit B 29349 Pip Pin Assembly AN526C1032R18 18.0 Screw Comment: Qtv.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s) Screw M101458 19.0 AN960JD10 Washer Comment: Qty.: 2.0000 Each(s)/Unit Total: 8.0000 Each(s) Washer M140772 20.0 AN960JD10L Washer Comment: Qty.: 8.0000 Each(s)/Unit Total: 32.0000 Each(s) M10/2 9/-Washer 21.0 MS20470AD34 Rivet, Universal Head 1.0000 Each(s)/Unit Total: Comment: Qty.: 4.0000 Each(s) Rivet, Universal Head かっている MS21042L3 22.0 Comment: Qty.: 3.0000 Each(s)/Unit Total: 12.0000 Each(s) M 101917 Nut

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
					<u>'</u>						
									_		
Part No):	P <i>A</i>	\R #:	Fault Category:	NCI	R: Yes	√io DQ	A:	ଠ Date: <u>୯</u>	6/11/23	
							VC Close		Date:		

	WORK ORDER NON-CONFORMANCE (NCR)									
T	Description of NC		Corrective Action Section B		Varification	Approval	Ammound			
STEP	Section A	Initial Action Description Sign & Date		Section C	Chief Eng	Approval QC Inspector				
						-				
					20					
			Manager and the second							
	STEP	STED Description of NC	STEP Description of NC Section A Initial Chief Eng	STEP Description of NC Section A Initial Chief Eng Corrective Action Section B Chief Eng	STEP Description of NC Section A Initial Chief Eng Chi	STEP Description of NC Section A Corrective Action Section B Verification Section C Section A Chief Eng Ch	STEP Description of NC Section A Initial Chief Eng Chief Eng Sign & Date Chief Eng Chi			

Tuesday, 10/24/2006 11:03:30 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: LITTER TIE DOWN ASS'Y (LOCKING) Customer: CU-DAR001 Dart Helicopters Services Job Number: 29136 Part Number: D2360 Job Number: Seq. #: **Machine Or Operation:** Description: MS27039113 Screw 23.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s) Screw 24.0 MS27039115 Screw Comment: Qty.: 2.0000 Each(s)/Unit Total: 8.0000 Each(s) M18057 Screw 25.0 NAS679A3W Nut Comment: Qty.: Total: 1.0000 Each(s)/Unit 4.0000 Each(s) Nut SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 26.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 Assemble as per dwg D2360 INSPECT WORK TO CURRENT STEP 27.0 QC5 Comment: INSPECT WORK TO CURRENT STEP 28.0 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 29.0 Comment: FINAL IN CTION/W/O RELEASE 10611.23 Job Completion

Form: rprocess

Page 4

Dart Aerospace Ltd

W /O:	***************************************	,	V	ORK ORDER CHANG	SES	,				
DATE	STEP	PRO	CEDURE CH	ANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	, ,									
Part No		PAR #:	Fault Cat	legory:	_ NCI	R: Yes	No DQ	A:	Date:	
			•	3		QA: N	C Close	d:	Date:	
NCR:		V	VORK ORI	DER NON-CONFORM	ANCE	(NCR)			
DATE	STEP	Description of NC		Corrective Action Section B			Verification			Approval
DAIL	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti	on C	Chief Eng	QC Inspector
									<u> </u>	
			or.		. •				,	
			6.7			•				
			V						-	
			. 0			÷				

DART AEROSPACE LTD	Work Order:	29136
Description: Litter Tie Down Bracket (Locking)	Part Number:	D2341
Inspection Dwg: D2341 Rev: E		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Artic	cle Prototype	е
---------------	---------------	---

Drawing	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension	Tolerance	Dimension	Accept	Keject	Inspection	Comments
1.500	+/-0.010	1,505"	V			
1.000	+/-0.010	1,003"	//			
Ø0.242	+0.005/-0.001	2 43'0	//			
Ø0.191	+0.005/-0.001	Ø 192"	V,			
R0.250	+/-0.010	180,250"				
1.700	+/-0.010	1.699"	V			
0.750	+/-0.010	756"				
2.750	+/-0.010	2 756"			_	
11.000	+/-0.005	70,997"				
5.500	+/-0.010	5,503				
				=2		
1.584	+/-0.010	1.592"	1			
Ø0.191	+0.005/-0.001	Ø'.192"	V/			
2.610	+/-0.010	2.619"				
0.844	+/-0.010	846"	/			
1.250	+/-0.010	1,256"	V.			
0.750	+/-0.010	753"				
12.500	+/-0.010	12.500"	1/			
3.313	+/-0.010	3, 3/8"				
4.250	+/-0.010	4252"		/		
0.400	+/-0.010	1402"				
			•			
•						


Measured by: 5.F.	Audited by: 5.6	Prototype Approval:	N/A
Date: 06/10/27	Date: 06 1 10/27	Date:	N/A


Rev	Date	Change		Revised by	Approved
Α	06.05.24	New Issue	P/O D2360	KJ/JLM A	



DESIGN S	DRAWN BY	DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA
CHECKED	APPROVED BW	DRAWING NO. REV. E D2341 SHEET 1 OF 1
DATE		TITLE SCALE
97.10.01		LITTER TIE DOWN BRACKET (LOCKING) 1:2
	05.01.17	NEW ICCHE

 97.10.01		LITTER TIE DOWN BRACKET (LOCKING)	1:2
Α	95.01.13	NEW ISSUE	
В	95:02:14	MODIFIED LOCK	
D	95:02:20	CHANGES TO DIAMETERS	
E	97.10.01	CHANGES FOR MACHINING	





UNCONTROLLED COPY SUBJECT TO AMENDMENT


MATERIAL: 6061-T6 (QQ-A-200/8) 4X4X3/8 'T' SECTION FINISH: ANODIZE

WITHOUT NOTICE WORK ORDER





DESIGN BW		Bu	DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA		
CHĘC	KED	APPROVED	DRAWING NO. REV. C		
K	E	DIEK	D2360 SHEET 1 OF 2		
DATE			TITLE SCALE		
97.08.27			LITTER TIE DOWN ASSEMBLY (LOCKING)		
Α		95.02.10	NEW ISSUE		
В		95.02.20	RE-DESIGN		
С.		97.08.27	ADD MS20470AD3-4 RIVET		
	4	07.09.24	D2002-015 WAS D2376		



D2360	Part No.	Description
Х	D2360	LITTER TIE DOWN ASSEMBLY (LOCKING)
1	D2341	LITTER TIE DOWN (LOCKING)
1	D2345	LOCK CHANNEL
2	D2366	LOCK HANDLE
1	D2367	KNOB (DELRIN)
2	D2372	QUICK RELEASE FASTENERS
1	D2373	SPRING
2	- D2376 -	KNOB (DELRIN) D2002-015
1	D2444	PIP PIN
1	AN526C1032R18	SCREW
2 - 62	AN960JD10	WASHER
5 3	AN960JD10L	WASHER
1	MS20470AD3-4	RIVET
3	MS21042L3	NUT
1	MS27039-1-13	SCREW
2	MS27039-1-15	SCREW
1 1	NAS679A3W	NUT

KE 99.03.02

SHOP COPY RETURN TO ENGINEERING DNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE





				and the state of t
DESIGN BW	DRAWN BY		RT AEROSPACE RIA INTERNATIONAL AIRPORT	
CHECKED	APPROVED /	DRAWING NO.		REV. C
4	Max	D2360		SHEET 2 OF 2
DATE		TITLE		SCALE
97.08.27		LITTER TIE	DOWN ASSEMBLY	(LOCKING)

